

# FIX'N'ROLL

STYLING PASTE

FR26.COSMETAGORA.FIXNROLL

HAIR

FR2026COSMETAGORA



ISO 16128



## OVERVIEW

Ideal for styling your rocker quiff or retro blow-dry, this styling paste offers long-lasting hold and is resistant to anything! FIX'N'ROLL leaves a transparent matte finish on the hair for a natural look and rinses out very easily.

Phase	Trade Name	Supplier	European I.N.C.I. Name	Function	%
A	Demineralized water	/	Aqua	/	40,40
	SymSave® H	SYMRISE*	Hydroxyacetophenone	Multifunctional (Preservative, Anti-Oxidant)	0,50
	Hydrolite® 5 green	SYMRISE*	Pentylene Glycol	Multifunctional (Emollient, Moisturizer, Preservative Booster)	5,00
	Eastman AQ™ 48 Ultra Polymer	EASTMAN*	Polyester-5	Styling Agent	3,00
	Sabocare® APG 1200 MB	SABO*	Aqua, Lauryl Glucoside	Surfactant/Co-Surfactant	1,50
B	Sabocare® GMS-SE MB	SABO*	Glyceryl Stearate SE	Emulsifier	5,00
	Saboderm TCC MB	SABO*	Caprylic/Capric Triglyceride	Emollient	3,00
	Sumac Wax / Berry Wax	NOREVO*	Rhus Succedanea Fruit Cera / Rhus Verniciflua Peel Cera	Consistency Agent	5,00
	Cosmosil SH Organic	IFSC*	Butyrospermum Parkii Butter	Emollient	10,00
	Candelilla Wax DRZ	INA TRADING JNP*	Euphorbia Cerifera Cera	Consistency Agent	5,00
	Carnauba Wax TS-1	INA TRADING JNP*	Copernicia Cerifera Cera	Consistency Agent	3,00
	JD FFL Jojoba Organic Colorless Odorless Oil	JOJOBA DESERT*	Simmondsia Chinensis Seed Oil	Emollient	5,00
C	ImerCare® 04K	IMERYS*	Kaolin	Mattifying Agent, Texturizer	13,00
D	Parfum	/	Parfum	Fragrance	0,60

\* Please contact us to know in which country we are supplier of SAFIC' Care is a trademark of SAFIC-ALCAN

## PROCESS

PHASE A : Heat the phase A until 85 °C.

PHASE B : Heat the phase B until 85 °C. Then, add B to A under strong stirring (2500 rpm) during 15 minutes.

PHASE C : While still stirring under 85 °C, add C to AB.

PHASE D : Add D to ABC and pour it into the packaging.



## PROPERTIES

APPEARANCE : beige paste

