

COLASLEEP

COLLAGEN JELLY CREAM

008.068

FACE
GP2025COSMETORIUM



OVERVIEW

This collagen jelly cream combines fresh hydration, sensory comfort, and skin vitality in a light, water-based gel texture. Its structure is built around SAFIC' Care T CK 2 and Amaze® XT, a synergistic gelling and suspensive system that delivers a smooth, cushiony texture with excellent stability and spreadability. Velvessil E-Gel PMF Emulsion amplifies sensoriality, creating a silky, velvety after-feel without heaviness. The formula is enriched with LunaRose™ and COLinus, a botanical and collagen-based active duo that revitalizes the skin, promoting radiance and firmness.

Phase	Trade Name	Supplier	European I.N.C.I. Name	Function	%
A	Demineralized water	/	Aqua	/	81,70
	Azorubin 85% E122 (100293) 1% aqueous solution	SYMRISE	Aqua, CI 14720, Sodium Sulfate, Sodium Chloride	Color	0,05
B	SAFIC' Care T CK 2	SAFIC-ALCAN	Chondrus Crispus Powder	Gelling agent	2,00
	Amaze® XT	NOURYON	Dehydroxanthan Gum	Suspensive agent	0,25
	Glycerin	/	Glycerin	Humectant	5,00
C	Velvessil E-Gel PMF Emulsion	MOMENTIVE	Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethicone, Isohexadecane, Cetearyl Methicone	Sensory enhancer	2,00
D	Hydrolite® 5 Green	SYMRISE	Pentylene Glycol	Solubilizer	3,00
	Sharomix™ EG 14	SHARON	Phenoxyethanol, Ethylhexylglycerin	Preservative	0,70
	Parfum	/	Parfum	Fragrance	0,30
E	Demineralized water		Aqua	/	2,00
	LunaRose™	MIBELLE BIOCHEMISTRY	Rosa Rugosa Fruit Extract, Maltodextrin, Aqua	Active	2,00
	COLinus	HYUNDAI BIOLAND	Aqua, Butylene Glycol, Arginine, Hydrolyzed Collagen		1,00

SAFIC' Care is a trademark of SAFIC-ALCAN

PROCESS



PHASE A : Heat up to 75°C under stirring.

PHASE B : Pre-mix then add it to phase A and stir at 75°C for 15min until homogeneous. Stop heating.

PHASE C : Add to phase AB and stir until homogeneous. Cool down to 40°C.

PHASE D : Pre-mix then add it to phase ABC and stir until homogeneous.

PHASE E : Stir until dissolved then add it to phase ABCD and homogenize. Complement with water, homogenize and adjust pH to 5,5-6,5.

PROPERTIES



APPEARANCE : Pink jelly cream.

VISCOSITY : 94200 cPs (Brookfield RVDV-I+, 5 rpm, 1 min, spindle 6).

pH : 5,5-6,5.