

COCONUT CRUSH

BODY POLISH
SAUK_561_B



BODY

UK2026INCOS



OVERVIEW

This exfoliating body polish leaves skin rejuvenated and soothed. Lipex® CocoaSoft RA MB™ works with Lipex® Shealiquid TR™ to create the base, while Lipex® PreAct™ helps prepare and protect skin against UV radiation. Akocare Coconut RA SG™ delivers nourishing fatty acids, and Saboderm CVC MB provides a light, non-greasy feel. Paracera® L adds structure, and Sumicair™ Syn Silken Matt Mica reduces greasiness. Coconut PhytPeel 1000 and JD Jojoba Beads 20/40 exfoliate, while Elfan® AT 84 helps rinse away and SymRelief® Green soothes skin.

Phase	Trade Name	Supplier	European I.N.C.I. Name	Function	%
A	LIPEX® CocoaSoft RA MB™	AAK*	Cocoa Butter	Emollient	19,50
	LIPEX® Shealiquid TR™		Butyrospermum Parkii Butter		34,90
	LIPEX® PreAct™		Canola Oil	Bioactive emollient	2,00
	Akocare Coconut RA SG™		Cocos Nucifera Oil	Butter	3,00
	Saboderm CVC MB	SABO*	Coco-Caprylate/Caprates	Emollient	10,00
	Paracera® L	PARAMELT*	Cera Microcristallina	Texturising Agent	2,50
B	Sumicair™ Syn Silken Matt Mica	SUDARSHAN*	Synthetic Fluorophlogopite	Mica	4,00
	Coconut PhytPeel 1000	GREENPHYT*	Cocos Nucifera Shell Powder	Scrub	5,00
	JD Jojoba Beads 20/40	JOJOBA DESERT*	Jojoba Esters	Natural Jojoba Exfoliants	7,50
	Elfan® AT 84	NOURYON*	Sodium Cocoyl Isethionate	Mild Anionic Surfactant	10,00
	SymRelief® Green	SYMRISE*	Bisabolol, Zingiber Officinale Root Extract	Sensitive Skin Soother	0,10
	Sensual Cocoon		Parfum	Fragrance	1,00
	MAXnolia O	MIBELLE*	Magnolia Officinalis Bark Extract, Caprylic/Capric Triglyceride	Anti-Aging, Reduces Redness	0,50

* Please contact us to know in which country we are supplier of

PROCESS

PHASE A : Heat to 70-75°C and stir until homogenous.

PHASE B : Reduce temperature of mixture to 60°C under stirring, add phase B one by one.

Stir until homogenous and pour into packaging when the formulation is starting to set at around 45°C.



PROPERTIES

APPEARANCE : Off-white balm with dark brown particles.

VISCOSITY : N/A.

pH : N/A.

