

TRAPEZE TRESSES

BOUNCY CONDITIONER
SAUK_585_C

HAIR

UK2026INCOS



OVERVIEW

This lightweight, bouncy conditioner is powered by Armocare® Aqua 12 for superior detangling and softness. Structure® Silk enhances sensorial feel and strengthens hair fiber. LIPEX® SheaLiquid TR™ is a sustainable shea emollient that infuses hair with natural moisture and shine as it is rich in nourishing lipids. Softisan® 649 adds a cushiony touch, and Plantasens® Emulsifier HP 49 creates a creamy texture. Tapioca Pure ensures a velvety, non-greasy finish, while PinoPlex™ helps protect and strengthen hair from root to tip.

Phase	Trade Name	Supplier	European I.N.C.I. Name	Function	%
A	Deionised water	/	Aqua	Solvent	65,00
B	Structure® Silk	NOURYON*	Hydroxypropyl Starch Phosphate	Rheology Modifier	4,00
	Glycerin	/	Glycerin	Humectant	9,00
C	Armocare® Aqua 12 Surfactant	NOURYON*	Hydrogenated Rapeseedamidopropyl Dimethylamine	Hair conditioning agent	2,70
	LIPEX® SheaLiquid TR™	AAK*	Butyrospermum Parkii Butter	Emollient	3,00
	Softisan® 649	IOI*	Bis-Diglyceryl Polyacyladipate-2		3,00
	SAFIC' Care E FA 1618 MB	SAFIC ALCAN	Cetearyl Alcohol	Emulsion Stabiliser/ Consistency Enhancer	2,00
	Plantasens® Emulsifier HP 49	CLARIANT*	Cetearyl Alcohol, Sorbitan Stearate, Cetearyl Glucoside, Disodium Cetearyl Sulfosuccinate	Immediate moisturisation, improves formulation stability, high oil load tolerance	4,00
	Beeswax Care 144	PARAMELT*	Cera Alba	Wax	1,50
	Lactic Acid 80% solution	/	Aqua, Lactic Acid	pH Adjuster	1,50
D	Tapioca Pure	NOURYON*	Tapioca Starch	Aesthetic Modifier	2,00
	Nipaguard® PE 9010	CLARIANT*	Phenoxyethanol, Ethylhexylglycerin	Preservative	1,00
	PinoPlex™	MIBELLE *	Pinus Sylvestris Cone Extract, Glycerin, Sodium Benzoate, Aqua	Seals in moisture, Provides split end sealing, Enhances shine and strength	1,00
	Positive Vibes	SYMRISE*	Parfum	Fragrance	0,30
	Sudacos™ Lemon GR 3701	SUDARSHAN*	CI 11680	Pigment Dispersion	q.s
Sudacos™ Cardinal 3703	CI 12490		q.s		

* Please contact us to know in which country we are supplier of

SAFIC' Care is a trademark of SAFIC-ALCAN

TRAPEZE TRESSES

BOUNCY CONDITIONER

SAUK_585_C



OVERVIEW

This lightweight, bouncy conditioner is powered by Armocare® Aqua 12 for superior detangling and softness. Structure® Silk enhances sensorial feel and strengthens hair fiber. LIPEX® Shealiquid TR™ is a sustainable shea emollient that infuses hair with natural moisture and shine as it is rich in nourishing lipids. Softisan® 649 adds a cushiony touch, and Plantasens® Emulsifier HP 49 creates a creamy texture. Tapioca Pure ensures a velvety, non-greasy finish, while PinoPlex™ helps protect and strengthen hair from root to tip.

PROCESS



PHASE A : Add phase A to a beaker and begin heating to 75-80 °C.

PHASE B : Pre-mix as a slurry and add to phase A under stirring.

PHASE C : In a separate beaker, add phase C except the lactic acid. Once at 75-80 °C and all melted, add the lactic acid to phase C. Add phase C to phase AB and homogenize at 6000rpm for 3 minutes. Allow to cool to room temperature under slow stirring.

PHASE D : Once below 40 °C, add phase D one by one, stirring in between additions.

Adjust the pH with lactic acid to around 4.

PROPERTIES



APPEARANCE : Thick glossy peach-coloured cream.

VISCOSITY : 70000 cPs
(Brookfield RVDVE, 10 rpm, 1 min, spindle 6).

pH : 4,0.