

SET & FORGET

HAIR STYLING BALM

030.H3

HAIR

GP2026NYSCC



OVERVIEW

Discover this high-performance hair styling balm, designed to control hairstyles with a natural flexible hold. The formula combines Eastman AQ™ 48 Ultra Polymer and Saboderm PDA to create a lightweight film that enhances style longevity while providing humidity and water resistance. Structured with natural waxes such as Candelilla Wax DRZ and Carnauba Wax TS-1, the balm offers excellent texture for precise styling. Nourishing emollients including BergaCare SB and JD Jojoba Colorless Oil condition the hair fiber. Bamboo PhytMic T adds a refined sensory finish, for a versatile styling balm that provides definition and a polished finish without stiffness or residue.

Phase	Trade Name	Supplier	European I.N.C.I. Name	Function	%
A	Demineralized water	/	Aqua	/	40,80
	Sensicare® C 1090	CHEMIPOL	Phenoxyethanol, Ethylhexylglycerin	Preservative	1,00
	Sensicare® M 5500		Pentylene Glycol	Solubilizer	5,00
	Eastman AQ™ 48 Ultra Polymer	EASTMAN	Polyester-5	Film former	3,00
	Sabocare® APG 1200 MB	SABO	Aqua, Lauryl Glucoside	Surfactant	1,50
B	Sabocare® GMS SE MB		Glyceryl Stearate SE	O/W emulsifier	5,00
	Saboderm PDA		Dilinoleic Acid/Propanediol Copolymer	Waterproof agent	3,00
	SAFIC' Care E CE MB	SAFIC-ALCAN	Cetyl Esters	Consistency agent	2,00
	Candelilla Wax DRZ	INA TRADING	Euphorbia Cerifera Cera		5,00
	Carnauba Wax TS-1		Copernicia Cerifera Wax		3,00
	BergaCare SB	BERG&SCHMIDT	Butyrospermum Parkii Butter	Emollient	10,00
	JD Jojoba Colorless Oil	JOJOBA DESERT	Simmondsia Chinensis Seed Oil		5,00
C	Bamboo PhytMic T	GREENPHYT	Bambusa Arundinacea Stem Powder	Sensory enhancer	15,00
D	SAFIC' Care F Magna AB 240273	SAFIC-ALCAN	Parfum	Fragrance	0,30
	Plantasens® Vitamin E Natural 50	CLARIANT	Tocopherol, Helianthus Annus Seed Oil	Anti-oxidant	0,40

SAFIC' Care is a trademark of SAFIC-ALCAN

PROCESS

PHASE A : Heat up to 80°C and place under stirring until homogeneous.
PHASE B : Heat up to 85°C under stirring until homogeneous. Then add it to phase A under strong stirring at 2500 rpm for 15 minutes.
PHASE C : Add it to phase AB under stirring until homogeneous.
PHASE D : Pre-mix and add it to phase ABC under stirring until homogeneous.
Let cool down to 75°C and pour in packaging.

PROPERTIES

APPEARANCE : Off-white solid creamy balm.

VISCOSITY : N/A.

pH : N/A.