

SKINFRIENDLY DEO

AP DEO ROLL-ON
026.J11

BODY

GP2026COSMETORIUM



OVERVIEW

This roll-on deodorant features a fluid suspensive emulsion with a fresh, lightweight feel and smooth glide. Structured with Structure® XL and stabilized by Amaze® XT, it effectively suspends absorbent powders while maintaining a soft, elegant texture. Lipex® SheaLuxe TR™, Neossance™ Squalane, and Hydrovance® help support skin comfort. SolAmaze™ Natural forms a flexible film, and the combination of ImerCare® 400D and Amaze® Nordic Barley promotes a dry, mattified finish.

Phase	Trade Name	Supplier	European I.N.C.I. Name	Function	%
A	Demineralized water	/	Aqua	/	68,30
	Glycerin		Glycerin	Humectant	3,00
B	Amaze® XT	NOURYON	Dehydroxanthan Gum	Suspensive agent	0,20
C	Structure® XL		Hydroxypropyl Starch Phosphate	Thickener	2,00
D	FluidiFeel™ Easy	SEPPIC	Lauryl Glucoside, Myristyl Glucoside, Polyglyceryl-6 Laurate	O/W emulsifier	3,00
	Lipex® SheaLuxe TR™	AAK	Ethyl Oleate, Ethyl Stearate	Emollient	5,00
	SolAmaze® Natural	NOURYON	Diisostearoyl Polyglyceryl-3 Dimer Dilinoleate, Caprylic/Capric Triglyceride	Film former	1,00
	Citropol® F	P2 SCIENCE	Polycitronellol	Fragrance fixative	2,00
	Neossance™ Squalane	GIVAUDAN	Squalane	Emollient	1,00
E	Sharomix™ 713	SHARON	Aqua, Sodium Benzoate, Potassium Sorbate	Preservative	1,00
F	ImerCare® 400D	IMERYS	Diatomaceous Earth	Absorbing & mattifying agent	2,50
	Amaze® Nordic Barley	NOURYON	Hordeum Vulgare Seed Flour	Absorbing powder	3,00
G	Teflose®	SOLABIA	Propanediol, Aqua, Rhamnose, Glucose, Glucuronic Acid	Active	4,00
	Hydrovance®	NOURYON	Hydroxyethyl Urea		1,00
	Fluidipure™ 8G C	SEPPIC	Capryloyl Glycine, Xylitylglucoside, Butylene Glycol		2,50
H	Perfume	/	Parfum	Fragrance	0,50

SKINFRIENDLY DEO

AP DEO ROLL-ON
026.J11



BODY

GP2026COSMETORIUM



OVERVIEW

This roll-on deodorant features a fluid suspensive emulsion with a fresh, lightweight feel and smooth glide. Structured with Structure® XL and stabilized by Amaze® XT, it effectively suspends absorbent powders while maintaining a soft, elegant texture. Lipex® SheaLuxe TR™, Neossance™ Squalane, and Hydrovance® help support skin comfort. SolAmaze™ Natural forms a flexible film, and the combination of ImerCare® 400D and Amaze® Nordic Barley promotes a dry, mattified finish.

PROCESS



PHASE A : Place under stirring.
PHASE B : Premix, add to A and stir until homogeneous.
PHASE C : Add to AB and stir until homogeneous.
PHASE D : Premix, add to ABC and stir until homogeneous.
PHASE E : Add to ABCD and stir until homogeneous.
PHASE F : Add to ABCDE and stir until homogeneous.
PHASE G : Add one by one to ABCDEF and stir until homogeneous.
PHASE H : Add to ABCDEFG and stir until homogeneous.
Adjust pH to 5,5-6,5.

PROPERTIES



APPEARANCE : Off-white liquid.

VISCOSITY : 10420 cPs
(Brookfield RVDV-I+, 5 rpm, 1 min, spindle 3).

pH : 5,5-6,5.