SOLAR ECLIPSE

DAILY SPF 50+ SUN FLUID

FR26INCOS.SOLARECLIPSE

71,1% of natural origin ingredients

ISO 16128

FACE

FR2026INCOS



OVERVIEW

Essential all year round, wherever you are, Solar Eclipse protects the skin from UVA and UVB rays with an in-vitro-validated SPF 50+. A blend of Neo Heliopan® organic filters and SPF boosters maximizes protection without compromising sensoriality. Its light, fluid texture is perfect for daily use. Thanks to ImerCare® SunTouch, this O/W emulsion absorbs quickly, feels non-sticky, and leaves a soft, powdery finish — an ideal makeup base. With long-lasting, humidity-resistant performance, Solar Eclipse is suited for every climate.

Phase	Trade Name	Supplier	European I.N.C.I. Name	Function	%
A	Demineralized water	/	Aqua	/	47,00
	Helichrysum Italicum BioPhytWater	GREENPHYT*	Helichrysum Italicum Flower Water, Citric Acid, Sodium Benzoate, Potassium Sorbate	Hydrolat	5,00
	Sodium Gluconate	/	Sodium Gluconate	Chelating Agent	0,20
	SymSave® H	SYMRISE*	Hydroxyacetophenone	Preservative, Anti-Oxidant	0,50
	Neo Heliopan® Hydro USP		Phenylbenzimidazole Sulfonic Acid	UVB Filter	2,00
	Biotive® L-Arginine		Arginine	pH Adjuster	1,90
B	Hydrolite® 5 green		Pentylene Glycol	Emollient, Preservative Booster	5,00
	SAFIC' Care T XCG	SAFIC-ALCAN	Ceratonia Siliqua Gum, Xanthan Gum, Glucose	Gelling and Suspending Agent	0,30
C	Pellicer™ L-30	ASAHI KASEI *	Aqua, Sodium Dilauramidoglutamide Lysine	Emulsifier	0,15
D	Emulsiphos® F	SYMRISE*	Potassium Cetyl Phosphate, Hydrogenated Palm Glycerides		2,00
	SymEffect® Sun		Cera Alba, Sodium Stearoyl Lactylate	UV Filter Booster	1,50
	Neo Heliopan® BMT		Bis-Ethylhexyloxyphenol Methoxyphenyl Triazine	UVA/UVB Filter	3,00
	Neo Heliopan® EHT		Ethylhexyl Triazone	UVB Filter	3,50
	Diethylamino Hydroxybenzoyl Hexyl Benzoate		Diethylamino Hydroxybenzoyl Hexyl Benzoate	UVA Filter	7,00
	Harmonie™ NatuVel gel	MOMENTIVE*	Coco-Caprylate/Caprate, Polyglyceryl-2 Isostearate/Dimer Dilinoleate Copolymer, Squalane	Elastomer	3,00
	Saboderm DBA	SABO*	Dibutyl Adipate	Emollient	8,00
	Neossance™ Squalane	GIVAUDAN*	Squalane	Active Emollient	1,00
	Saboderm AB	SABO*	C12-15 Alkyl Benzoate	Emollient	4,00
	Decanox® MTS-50	ADM*	Tocopherol, Glycine Soja Oil	Anti-Oxidant	0,15
E	ImerCare® SunTouch	IMERYS*	Perlite	Absorbing Powder	2,00
F	Naturecel 793XF	MICRO POWDERS*	Cellulose Acetate	Soft Focus	1,00
G	Perfume	/	Parfum	Fragrance	0,30
H	Citric Acid 10% solution		Aqua, Citric Acid	pH Adjuster	1,50

* Please contact us to know in which country we are supplier of

SAFIC' Care is a trademark of SAFIC-ALCAN

Our customers are responsible for the choice of raw materials they incorporate into their formulas. The information contained in our documentation are given in good faith.
We recommend to our customer to check with appropriate authorities the regulatory status of the raw material - April 2026.

SAFIC ALCAN innovative solutions

FACE

FR2026INCOS

SOLAR ECLIPSE

DAILY SPF 50+ SUN FLUID

FR26INCOS.SOLARECLIPSE

71,1% of natural origin ingredients

ISO 16128



OVERVIEW

Essential all year round, wherever you are, Solar Eclipse protects the skin from UVA and UVB rays with an in-vitro-validated SPF 50+. A blend of Neo Heliopan® organic filters and SPF boosters maximizes protection without compromising sensoriality. Its light, fluid texture is perfect for daily use. Thanks to ImerCare® SunTouch, this O/W emulsion absorbs quickly, feels non-sticky, and leaves a soft, powdery finish — an ideal makeup base. With long-lasting, humidity-resistant performance, Solar Eclipse is suited for every climate.

PROCESS

PHASE A : Mix all ingredients from phase A under medium stirring. Add Neo Heliopan® Hydro USP and Biotive® L-Arginine in two separate portions. The phase should become perfectly transparent and slightly yellow. Heat to 75°C.
PHASE B : Add phase B into phase A under medium stirring.
PHASE C : Add phase C into phase AB under medium stirring.
PHASE D : Mix all phase D ingredients under medium stirring and heat to 75°C. Allow the filters to disperse for 15 minutes.
Add phase D into phase ABC under very high shear (3300 rpm) for 20 minutes, then start cooling.
PHASE E: Add under medium stirring, ensuring proper dispersion.
PHASE F : Add under medium stirring, ensuring proper dispersion.
PHASE G : Add under medium stirring, ensuring proper dispersion.
PHASE H : Adjust pH to 6,5.

PROPERTIES

APPEARANCE : Light yellow fluid cream.

VISCOSITY : 2565 cPs (Brookfield RVDV-I+, 20 rpm, 1 min, spindle S03).

pH : 6,5.

Our customers are responsible for the choice of raw materials they incorporate into their formulas. The information contained in our documentation are given in good faith.
We recommend to our customer to check with appropriate authorities the regulatory status of the raw material - April 2026.

SAFIC ALCAN innovative solutions