SUN & ONLY

SUNCREAM

017(2).B4

83,2% of natural origin ingredients

ISO 16128

BODY

GP2026SEPAWA



OVERVIEW

This light yellow, rich sunscreen emulsion delivers a dense texture that creates an even protective veil. Structured with Amaze® XT, Structure® XL and Emulsiphos® F, the formulation combines excellent stability with a substantial cream-like body. The UV protection system is powered by Neo Heliopan® BMT and Neo Heliopan® EHT, delivering broad-spectrum sun care performance while maintaining a pleasant sensory profile. Harmonie™ NatuVel Gel and Neossance™ Squalane enhance skin comfort, providing silky spreadability and a smooth touch. The flexible film-forming properties of SolAmaze® Natural help create a uniform protective layer, while Harmonie™ Luxe 4 Powder contributes to a refined, soft-focus finish. This suncream leaves the skin feeling soft, comfortable and protected.

Phase	Trade Name	Supplier	European I.N.C.I. Name	Function	%
A	Demineralized water	/	Aqua	/	65,28
B	Hydrolite® 5 Green	SYMRISE*	Pentylene Glycol	Solubilizer	5,00
	Amaze® XT	NOURYON	Dehydroxanthan Gum	Suspensive agent	0,50
C	Pellicer™ L-30	ASAHI KASEI	Aqua, Sodium Dilauramidoglutamide Lysine	O/W emulsifier	0,30
D	Emulsiphos® F	SYMRISE*	Potassium Cetyl Phosphate, Hydrogenated Palm Glycerides		2,00
	Neo Heliopan® BMT		Bis-Ethylhexyloxyphenol Methoxyphenyl Triazine	UVA/UVB Filter	5,00
	Neo Heliopan® EHT		Ethylhexyl Triazone	UVB Filter	4,00
	Harmonie™ NatuVel Gel	MOMENTIVE*	Coco-Caprylate/Caprate, Polyglyceryl-2 Isostearate/Dimer Dilinoleate Copolymer, Squalane	Sensory enhancer	2,00
	SolAmaze® Natural	NOURYON	Diisostearoyl Polyglyceryl-3 Dimer Dilinoleate, Caprylic/Capric Triglyceride	Film former	1,00
	Saboderm AB	SABO	C12-15 Alkyl Benzoate	Emollient	6,00
	Neossance™ Squalane	GIVAUDAN	Squalane		1,00
E	Plantasens® Vitamin E Natural 50	CLARIANT	Tocopherol, Helianthus Annus Seed Oil	Anti-oxidant	0,40
	SO053948 Garden Blossom	/	Parfum	Fragrance	0,30
F	NatPure® SOL Crystal (OF)	SENSIENT	Caprylyl/Capryl Glucoside, Aqua, Diisopropyl Adipate, Triethyl Citrate	Solubilizer	0,10
	PeptiProtect™	NURITAS*	Haematococcus Lacustris Oligopeptide-1	Active	0,0035
G	Harmonie™ Luxe 4 Powder	MOMENTIVE*	Silica	Sensory enhancer	2,00
	Structure® XL	NOURYON	Hydroxypropyl Starch Phosphate	Thickener	4,00
	Sensicare® C 1090	CHEMIPOL	Phenoxyethanol, Ethylhexylglycerin	Preservative	1,10
	SensiTint Amber Yellow	SENSIENT	CI 19140, Glycerin, Propylene Glycol	Color	0,02

* Available only in Switzerland

Our customers are responsible for the choice of raw materials they incorporate into their formulas. The information contained in our documentation are given in good faith.
We recommend to our customer to check with appropriate authorities the regulatory status of the raw material - September 2026.

SAFIC ALCAN innovative solutions

SUN & ONLY

SUNCREAM

017(2).B4

83,2% of natural origin ingredients

ISO 16128

BODY

GP2026SEPAWA



OVERVIEW

This light yellow, rich sunscreen emulsion delivers a dense texture that creates an even protective veil. Structured with Amaze® XT, Structure® XL and Emulsiphos® F, the formulation combines excellent stability with a substantial cream-like body. The UV protection system is powered by Neo Heliopan® BMT and Neo Heliopan® EHT, delivering broad-spectrum sun care performance while maintaining a pleasant sensory profile. Harmonie™ NatuVel Gel and Neossance™ Squalane enhance skin comfort, providing silky spreadability and a smooth touch. The flexible film-forming properties of SolAmaze® Natural help create a uniform protective layer, while Harmonie™ Luxe 4 Powder contributes to a refined, soft-focus finish. This suncream leaves the skin feeling soft, comfortable and protected.

PROCESS

PHASE A : Heat up to 80°C and place under stirring.
PHASE B : Pre-mix then add to phase A and stir for 15 minutes until homogeneous.
PHASE C : Add it to phase AB under stirring until homogeneous.
PHASE D : Heat up to 80°C under stirring.
PHASE E : Pre-mix then add it to phase D. Add phase DE to phase ABC under strong stirring for 3 minutes until homogeneous. Let cool down to room temperature.
PHASE F : Pre-mix then add it to phase ABCDE under stirring until homogeneous.
PHASE G : Add one by one to phase ABCDEF and stir until homogeneous. Complement with water, homogenize and adjust pH to 5,5 - 6,5.

PROPERTIES

APPEARANCE : Light yellow cream.

VISCOSITY : 53120 cPs (Brookfield RVDV-I+, 5 rpm, 1 min, spindle 5).

pH : 5,5 – 6,5.

Our customers are responsible for the choice of raw materials they incorporate into their formulas. The information contained in our documentation are given in good faith.
We recommend to our customer to check with appropriate authorities the regulatory status of the raw material – September 2026.

SAFIC ALCAN innovative solutions